



INTERNATIONAL STANDARD ISO/IEC 9594-8:2005 TECHNICAL CORRIGENDUM 3

Published 2011-11-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОМИССИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

Information technology — Open Systems Interconnection — The Directory: Public-key and attribute certificate frameworks

TECHNICAL CORRIGENDUM 3

Technologies de l'information — Interconnexion de systèmes ouverts (OSI) — L'annuaire: Cadre général des certificats de clé publique et d'attribut

RECTIFICATIF TECHNIQUE 3

Technical Corrigendum 3 to ISO/IEC 9594-8:2005 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as Rec. ITU-T X.509 (2005)/Cor.3 (02/2011).

IECNORM.COM : Click to view the full PDF of ISO/IEC 9594-8:2005/Cor 3:2011

INTERNATIONAL STANDARD
RECOMMENDATION ITU-T

**Information technology – Open Systems Interconnection – The Directory: Public-key
and attribute certificate frameworks**

Technical Corrigendum 3

(covering resolution to defect reports 332, 333, 334, 344, 348 and 352)

1) Correction of the defects reported in defect report 332

In the CertificateExtensions module of Annex A, change:

```
id-ce-nameConstraint      OBJECT IDENTIFIER ::= {id-ce 30}
to:
id-ce-nameConstraints    OBJECT IDENTIFIER ::= {id-ce 30}
```

2) Correction of the defects reported in defect report 333

Delete subclause 15.1.2.5 and renumber 15.1.2.6 to 15.1.2.5.

Replace the last part of subclause 15.5.2.5 starting with "The indirect issuer matching rule ..." with:

The presence of this extension within an attribute certificate may be determined by applying the **extensionPresenceMatch** matching rule.

Add a new subclause 17.3.5:

17.3.5 Extension presence match

The **Extension Presence Match** rule compares for equality a presented object identifier value identifying a particular extension with the **extensions** component of a certificate.

```
extensionPresenceMatch MATCHING-RULE ::= {
  SYNTAX  OBJECT IDENTIFIER
  ID      id-mr-extensionPresenceMatch }
```

This matching rule returns TRUE if the certificate contains the particular extension.

3) Correction of the defects reported in defect report 334

In 17.2.9, change:

```
id-at-xMLPprotPrivPolicy
to:
id-at-xmlPrivPolicy
```

Make the same change to Annex A.

4) Correction of the defects reported in defect report 344

In 3.3, add the following new definitions:

end-entity certificate: An attribute or public-key certificate issued to an end-entity.

end-entity attribute certificate: An attribute certificate issued to an end-entity.