


<b>REV. A</b>  <b>SAE AS9364</b>	<p style="text-align: center;">RATIONALE</p> <p>AS9364A HAS BEEN REAFFIRMED TO COMPLY WITH THE SAE FIVE-YEAR REVIEW POLICY.</p> <p>THE INITIAL SAE PUBLICATION OF THIS DOCUMENT WAS TAKEN DIRECTLY FROM U.S. MILITARY STANDARD MS9364A, NOTICE 1. THIS SAE STANDARD RETAINS THE SAME PART NUMBERS ESTABLISHED BY THE ORIGINAL MILITARY DOCUMENT.</p> <p>ANY REQUIREMENTS ASSOCIATED WITH QUALIFIED PRODUCTS LISTS (QPL) MAY CONTINUE TO BE MANDATORY FOR DOD CONTRACTS. REQUIREMENTS RELATING TO QPL'S HAVE NOT BEEN ADOPTED BY THE SAE FOR THIS STANDARD AND ARE NOT PART OF THIS SAE DOCUMENT.</p>	<p style="text-align: center;">FEDERAL SUPPLY CLASS 5310</p>
<p>SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."</p> <p>SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.</p>	SAENORM.COM : Click to view the full PDF of as9364a	
	<p>CUSTODIAN: E-25</p>	<p>PROCUREMENT SPECIFICATION: NONE</p>
<p><b>SAE Aerospace</b> An SAE International Group</p>	<p style="text-align: center;"><b>AEROSPACE STANDARD</b></p> <p style="text-align: center;">NUT, SLOTTED, HEXAGON, SHEAR - SILVER PLATED, UNS S66286, 130 KSI MIN</p>	<p style="text-align: center;">THIRD ANGLE PROJECTION</p>  <p><b>SAE AS9364</b> SHEET 1 OF 3</p> <p><b>REV. A</b></p>




FIGURE 1 - NUT

TABLE 1 - PART NUMBERS AND DIMENSIONS

PART NUMBER	D NOMINAL THREAD	AF	E MIN	F MIN	AB	K
MS9364-08	.1640-36UNJF-3B	0.336 - 0.345	0.375	0.334	0.164 - 0.184	0.146 - 0.166
MS9364-09	.1900-32UNJF-3B	0.367 - 0.376	0.410	0.365	0.190 - 0.210	0.178 - 0.198
MS9364-10	.2500-28UNJF-3B	0.429 - 0.439	0.481	0.428	0.250 - 0.270	0.178 - 0.198
MS9364-11	.3125-24UNJF-3B	0.492 - 0.502	0.552	0.490	0.312 - 0.332	0.178 - 0.198
MS9364-12	.3750-24UNJF-3B	0.553 - 0.564	0.623	0.552	0.375 - 0.395	0.209 - 0.229
MS9364-13	.4375-20UNJF-3B	0.679 - 0.690	0.765	0.678	0.438 - 0.458	0.209 - 0.229
MS9364-14	.5000-20UNJF-3B	0.741 - 0.752	0.836	0.740	0.500 - 0.525	0.240 - 0.260
MS9364-15	.5625-18UNJF-3B	0.865 - 0.877	0.978	0.865	0.562 - 0.587	0.302 - 0.322
MS9364-16	.6250-18UNJF-3B	0.928 - 0.940	1.049	0.928	0.625 - 0.650	0.302 - 0.322
MS9364-17	.7500-16UNJF-3B	1.052 - 1.064	1.192	1.052	0.750 - 0.775	0.365 - 0.385
MS9364-18	.8750-14UNJF-3B	1.239 - 1.252	1.405	1.240	0.875 - 0.900	0.428 - 0.448
MS9364-19	1.0000-12UNJF-3B	1.427 - 1.440	1.619	1.428	1.000 - 1.025	0.490 - 0.510