



ANSI/CAN/UL 8802:2023

JOINT CANADA-UNITED STATES
NATIONAL STANDARD

STANDARD FOR SAFETY

Ultraviolet (UV) Germicidal Equipment
and Systems

ULNORM.COM : Click to view the full PDF of UL 8802 2023



ANSI/UL 8802-2023



SCC FOREWORD

National Standard of Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

ULNORM.COM : Click to view the full PDF of UL 8802 2025

UL Standard for Safety for Ultraviolet (UV) Germicidal Equipment and Systems, ANSI/CAN/UL 8802

First Edition, Dated November 16, 2023

Summary of Topics

This is the First Edition of ANSI/CAN/UL 8802, Standard for Ultraviolet (UV) Germicidal Equipment and Systems, dated November 16, 2023.

The requirements are substantially in accordance with Proposal(s) on this subject dated April 28, 2023 and August 25, 2023.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of ULSE Inc. (ULSE).

ULSE provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will ULSE be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if ULSE or an authorized ULSE representative has been advised of the possibility of such damage. In no event shall ULSE's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold ULSE harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

ULNORM.COM : Click to view the full text of UL 8802 2023

No Text on This Page

[ULNORM.COM](https://ulnorm.com) : Click to view the full PDF of UL 8802 2023



ANSI/UL 8802-2023

NOVEMBER 16, 2023



1

ANSI/CAN/UL 8802:2023

Standard for Ultraviolet (UV) Germicidal Equipment and Systems

First Edition

November 16, 2023

This ANSI/CAN/UL Safety Standard consists of the First Edition.

The most recent designation of ANSI/UL 8802 as an American National Standard (ANSI) occurred on November 16, 2023. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page, Preface or SCC Foreword.

This standard has been designated as a National Standard of Canada (NSC) on November 16, 2023.

COPYRIGHT © 2023 ULSE INC.

ULNORM.COM Click to view the full PDF of UL 8802:2023

No Text on This Page

ULNORM.COM : Click to view the full PDF of UL 8802 2023

CONTENTS

Preface	5
----------------------	----------

INTRODUCTION

1 Scope	7
2 Components	8
3 Units of Measurement	9
4 Referenced Publications	9
5 Glossary	10
6 Organization and Application	13

PART 1 – UV GERMICIDAL EQUIPMENT

7 General	13
8 Photobiological Assessment	14
9 Ozone	16
10 Safety Instructions	16
11 Additional Markings and Instructions	17

PART 2 – UV EMITTER ASSEMBLIES

12 General	19
13 Photobiological Assessment	19
14 Ozone	20
15 Safety Instructions	20
16 Additional Markings and Instructions	21

PART 3 – GERMICIDAL SYSTEMS

17 General	23
18 Safeguards	24
19 Safeguard Assessment	26
20 Safety Instructions	27
21 Additional Markings and Instructions	28
22 Warning Labels	30

PART 4 – UV GERMICIDAL RETROFIT KITS

23 General	30
24 Photobiological Assessment	31
25 Ozone	32
26 Additional Markings and Instructions	32

PART 5 – CONTAINED UV GERMICIDAL EQUIPMENT

27 General	32
28 Photobiological Assessment	33
29 Ozone	33
30 Stability	34
31 Safety Instructions	34
32 Additional Markings and Instructions	35

ANNEX A – SAFETY MARKING TRANSLATIONS (Normative for Canada and Informative for the U.S.)

ANNEX B (Normative) – SAFETY-RELATED ELECTRONIC CIRCUIT (SREC) REQUIREMENTS

B1	Scope	38
B2	Glossary.....	38
B3	General.....	39
B4	Reliability Evaluation.....	40

ANNEX C (Normative) – SIZE AND LOCATION DESIGNATIONS FOR MARKINGS

ANNEX D (Normative) – MOTION DETECTORS Determination of Coverage Area

D1	Scope	42
D2	Glossary	42
D3	Determination of Coverage Area	43
	D3.1 Test environment.....	43
	D3.2 Test setup.....	43
	D3.3 Test subject	44
	D3.4 Test procedure.....	44

ANNEX E (Normative) – INTERLOCKS

E1	General.....	51
----	--------------	----

ANNEX F (Informative) – BEST PRACTICES FOR GERMICIDAL EQUIPMENT INSTALLATION

F1	General.....	53
----	--------------	----

ANNEX G (Informative) – METRIC CONVERSION

ULNORM.COM · Click to view the full PDF of UL 8802:2023

Preface

This is the First Edition of ANSI/CAN/UL 8802, Standard for Ultraviolet (UV) Germicidal Equipment and Systems.

ULSE is accredited by the American National Standards Institute (ANSI) and the Standards Council of Canada (SCC) as a Standards Development Organization (SDO).

This Standard has been developed in compliance with the requirements of ANSI and SCC for accreditation of a Standards Development Organization.

This ANSI/CAN/UL 8802 Standard is under continuous maintenance, whereby each revision is approved in compliance with the requirements of ANSI and SCC for accreditation of a Standards Development Organization. In the event that no revisions are issued for a period of four years from the date of publication, action to revise, reaffirm, or withdraw the standard shall be initiated.

In Canada, there are two official languages, English and French. All safety warnings must be in French and English. Attention is drawn to the possibility that some Canadian authorities may require additional markings and/or installation instructions to be in both official languages.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in the Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

Our Standards for Safety are copyrighted by ULSE Inc. Neither a printed nor electronic copy of a Standard should be altered in any way. All of our Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of ULSE Inc.

This edition of the standard has been formally approved by the Technical Committee (TC) on Ultraviolet (UV) Germicidal Equipment and Systems, TC 8802.

This list represents the TC 8802 membership when the final text in this standard was balloted. Since that time, changes in the membership may have occurred.

TC 8802 Membership

Name	Representing	Interest Category	Region
Carl Bloomfield	Intertek	Testing & Standards Org.	USA
Juan M. Caamano	UL Solutions	Testing & Standards Org.	USA
Fred Carpenter	Acuity Brands Lighting INC	Producer	USA
Mike Chou	Great Consultant Service (GCS) Co., Ltd.	General Interest	USA
Sandu Cusmariu	Viscor INC	Producer	Canada
Jeremy Kuempel	R-Zero Systems Inc.	Producer	USA
Paul Jensen	FAI	General Interest	USA
David Lemaux	CSA Group	Testing & Standards Org.	Canada
Darren McArthur	Broan-NuTone LLC	Supply Chain	USA
Julio Morales	UL Standards & Engagement	TC Project Manager – Non-voting	USA

TC 8802 Membership Continued on Next Page

TC 8802 Membership Continued

Name	Representing	Interest Category	Region
Michael O'Boyle	Signify	Producer	USA
Joseph O'Neill	Wilger Testing	General Interest	USA
Bill Palmer	AeroMed	Producer	USA
Deborah R. Prince	UL Standards & Engagement	TC Chair – Non-voting	USA
Michael Savage	Marion County, FL	AHJ	USA
David Sliney	Standards Individuals	General Interest	USA
Paul Smith	GE Lighting, a Savant Company	Supply Chain	USA
Ronnie Teo	Singapore Institute Of Manufacturing Technology	General Interest	Singapore
Jason Tuenge	PNNL	Government	USA
Jeremy Yon	Current Lighting	Producer	USA
Ken Zhang	SGS-CSTC STANDARDS TECHNICAL SERVICES CO LTD	Testing & Standards Org.	China

International Classification for Standards (ICS): 91.160.10

For information on ULSE Standards, visit <https://www.shopulstandards.com>, call toll free 1-888-853-3503 or email us at ClientService@shopULStandards.com.

This Standard is intended to be used for conformity assessment.

The intended primary application of this standard is stated in its scope. It is important to note that it remains the responsibility of the user of the standard to judge its suitability for this particular application.

CETTE NORME NATIONALE DU CANADA EST DISPONIBLE EN VERSIONS FRANÇAISE ET ANGLAISE

INTRODUCTION

1 Scope

1.1 These requirements apply to ultraviolet germicidal irradiation (UVGI) equipment and systems intended for installation and use in accordance with the U.S. National Electrical Code (NEC), NFPA 70 and in accordance with the Canadian Electrical Code, Part I (CEC), CSA C22.1. These requirements cover:

a) UV Germicidal Equipment – These devices emit uncontained UV energy into the surrounding area while the space or room being treated may be occupied. The UV overexposure risk may be mitigated by one or more safeguards. Examples of such safeguards include a fixed installation at a minimum height above the floor, and directional baffling to minimize direct UV emissions towards the occupied space when direct emission is not permitted. This equipment may also produce visible light. See Part 1 of this standard.

b) UV Emitter Assemblies – These devices emit UV uncontained energy into the surrounding area while the space being treated is vacant (i.e., not occupied by persons). Alternatively, these devices can be built into germicidal equipment as components. These assemblies are not considered stand-alone devices; they are intended for use as part of a UV germicidal system. This equipment may also produce visible light. See Part 2 of this standard.

c) UV Germicidal Systems – These systems are intended to expose surfaces within an unoccupied area with uncontained UV energy where the exposure dose would otherwise pose a risk of personal injury to occupants. System components include UV emitters, switches, sensors and other controls acting as site or equipment safeguards. The installation and operating instructions are considered an integral system component. A system may also include devices that produce visible light. See Part 3 of this standard.

d) UV Germicidal Retrofit Kits – These devices are retrofit kits which facilitate replacement of the light source of a General Lighting Service (GLS) luminaire with a UV emitter assembly. These retrofit kits emit UV energy into the surrounding area while the space being treated may be occupied. The UV overexposure risk may be mitigated by the exclusive use of UV sources that are compliant with 'Risk Group 0 (Exempt)' level(s) in accordance with the photobiological assessment for the device. The UV source may also produce visible light. See Part 4 of this standard.

e) Contained UV Germicidal Equipment – These devices include an integral enclosed UV source(s) to treat air flowing through it. The UV overexposure risk may be mitigated through UV source containment by the use of baffles, louvers or similar means to minimize UV emissions from the equipment. This equipment also produces visible light. See Part 5 of this standard.

NOTE – Contained UV Germicidal Equipment that does not produce visible light is generally covered under CSA C22.2 No. 113/UL 507 or CSA C22.2 No. 187/UL 867.

1.2 Parts 1 through 4 of this standard do not cover:

- a) Equipment intended for use in dwellings; or
- b) Portable equipment.

NOTE: In regard to item 'a', dwelling refers to the defined term from NFPA 70 and hence does not exclude spaces of transient occupancy where the equipment is expected to be installed and maintained by qualified service personnel.

1.3 This standard does not cover hand-held equipment.

1.4 Products generating ultraviolet radiation are intended for use in accordance with Title 21 Code of Federal Regulations (CFR), Parts 1000 through 1004, and section 1005.25.